

# ENGEL

SINCE 1962

**A LEGEND IN RELIABILITY<sup>®</sup>**

PRODUCT CATALOGUE — ISSUE 34

**DESIGNED FOR THE AUSSIE OUTBACK**



57L & 75L COMBIS  
NOW WITH REVERSIBLE  
TWIN DOORS



NEW SERIES 3  
BATTERY BOX — NOW WITH  
PURE SINEWAVE



CONNECT  
WITH US

Pat and Engel .....	2	MT17 & MT27 .....	12	New BATTBOX S3 .....	22
Introducing Twin Doors .....	5	Drawer Fridges .....	13	Generators .....	23
MT-V Series .....	8	New Storage Drawer .....	14	Coolers .....	26
Elite Series .....	10	Upright Fridges .....	16	Accessories .....	32



## Pat & Engel

Pat Callinan a.k.a Mr 4X4 has had a long history with Engel. He fondly remembers growing up fishing with his old man on the banks of the Barwon River near Brewarrina, at the headwaters of the Darling River. While there were never many fish caught, the cold Rice's soft drinks, served from the Engel and the associated memories, were sweet indeed.

Later on, as Pat chased a career as a 4X4 magazine journalist and editor, it was rare that an Engel wasn't part of the journey: "The simplicity of design and reliability was what I really cherished with the Engels. Your battery would always seem to have plenty of life left 'cause they chewed so little power, even after camping out in the bush for a few days — you couldn't kill it with a stick. When I got home, I used to drag it straight out of the 4X4 and plug it into 240 in my office. Sitting there, it reminded me of the bush and worked as a bloody good bar fridge." Pat reckons: "You buy quality gear like Engel because at the end of the day it's about the adventure, not the gear you take. Of course, if you take the right gear you can concentrate on the adventure, and not the gear. Pretty simple, really!"

Pat's son Bill has the same passion for adventure, off-the-beaten-track. He loves nothing more than chucking the Engel in the back of his ute and burning diesel through the Blue Mountains and NSW Barrington Tops. Unlike his old man who likes to keep the beers cold, he's keeping the Canadian Club's chilled.




# E 60+ years as Australia's No.1

Engel has been the leading provider of portable fridge-freezers in Australia for over 60 years. So what is it that makes Engel Australia's number one?

## Engel's World Famous Sawafuji Swing Motor

All Engel fridge-freezers are powered by the unique Sawafuji Swing Motor. Japanese technology at its best, the Sawafuji Swing Motor has only one moving part. The piston connects to an electro-dynamic device which is powered by the use of magnetic fields. This technology means no need for bearings, cranks or con-rods; and less moving parts means less chance of failure. The Motor does not need to perform a full stroke on start up unlike many rotary type compressors; meaning it doesn't have a high start up current draw. Low friction loss adds to its efficiency. The Motor operates at 30 degree angles and on rough corrugated tracks without losing any efficiency, making it the most effective choice of motor for Engel.





# 40 Litre Combi Fridge-Freezer

**5** ENGE**L**  
**YEAR**  
**WARRANTY**

OPTIONAL ACCESSORIES

**Transit Bag:** TBAG45MTV

**Fridge Slide:** 35/45SLIDE

**Transit Slide Lock:** TSL530/540

**Tie Down Brackets:** TDB560

**DC Fridge Lead Coiled:** PCOIL

Freezer at the back!

Fridge at the Front!

## COMBI MT-V45C

Fridge Capacity: 17 or 22 LITRE

Freezer Capacity: 17 or 22 LITRE

External Dimensions (mm): H508 W631 D360

*If handles are fitted width increases by 120mm (60mm each end)*

Net Weight: 24 KG

DC Power Consumption Variable from 0.5 – 3.0 AMPS

Power: Built-in 240V AC/12V/24V DC

### Option 1 \*

Smaller Freezer  
Larger Fridge



### Option 2 \*

Larger Freezer  
Smaller Fridge




### Option 3 \*

Refrigerator Only  
(divider removed). Total 40 litres



REPLACEMENT CORDS  
**12/24V DC:** DCCORD  
**240V AC:** KCORD



\*Options available only for COMBI MT-V45C

# New Design

Twin Door & Reversible



57 Litre Combi Fridge-Freezer



75 Litre Combi Fridge-Freezer

## COMBI MT-V60C

Fridge Capacity: 32 LITRE

Freezer Capacity: 25 LITRE

External Dimensions (mm): H441 W790 D490

*If handles are fitted width increases by 120mm (60mm each end)*

Net Weight: 34 KG

DC Power Consumption Variable from 0.5 – 3.6 AMPS

Power: Built-in 240V AC/12V/24V DC

### OPTIONAL ACCESSORIES

**Fridge Slide:** 60/80SLIDE

**Tie Down Brackets:** TDB560

**DC Fridge Lead Coiled:** PCOIL

### REPLACEMENT CORDS

**12/24V DC:** DCCORD

**240V AC:** KCORD

## COMBI MT-V80C

Fridge Capacity: 42 LITRE

Freezer Capacity: 33 LITRE

External Dimensions (mm): H561 W790 D490

*If handles are fitted width increases by 120mm (60mm each end)*

Net Weight: 40 KG

DC Power Consumption Variable from 0.5 – 3.6 AMPS

Power: Built-in 240V AC/12V/24V DC

### OPTIONAL ACCESSORIES

**Fridge Slide:** 60/80SLIDE

**Tie Down Brackets:** TDB560

**DC Fridge Lead Coiled:** PCOIL

### REPLACEMENT CORDS

**12/24V DC:** DCCORD

**240V AC:** KCORD

**ENGEL** **MT-V**  
**COMBI** SINCE 1962  
Fridge/Freezer

**A LEGEND IN RELIABILITY**



A few years ago, I wanted to run a fridge in the back of my F-150 that matched its colour. But rather than spray painting a new one, I sent my old Engel Combi that I'd been using for six years to the panel beater. She came back looking brand new, and has been running perfectly ever since. There's no way I'd have trusted another fridge in the outback that was already six years old, to run another few years. Funnily enough, she's much the same colour as the new Engel Elite (which hadn't been launched at the time).


I like the Combi because having the fridge and freezer components separate means you can run some pretty long adventures. You've just gotta remember to whip the food out of the freezer in the morning so it defrosts, and you're set for dinner. I like to pre-prepare a lot of meals nowadays too before I go, so I can pop them in the freezer compartment.

Things like my eight hour slow-cooked beef ragu are too much trouble to cook in the bush, but if you freeze it and heat it when you need it – just superb. And with the Engel's toughness, I know that no matter what silly tracks I'm driving, and on what angles, the fridge/freezer sure as heck won't fail.

**Pat Callinan – Mr 4x4**



Let Pat talk you through  
the features of the newly  
designed Combi's





**5** ENCEL  
**YEAR**  
**WARRANTY**



## V 32 Litre Fridge-Freezer

### MT-V35

**Fridge Capacity:** 32 LITRE (44 x 375ml cans)

**Internal Dimensions (mm):** H270 W380 D270

**External Dimensions (mm):** H408 W631 D360

*If handles are fitted width increases by 120mm (60mm each end)*

**Net Weight:** 21 KG

**DC Power Consumption:** Variable from 0.5 – 3.0 AMPS

**Power:** Built-in 240V AC/12V/24V DC

#### OPTIONAL ACCESSORIES

**Transit Bags:** TBAG35MTV

**Fridge Slide:** 35/45SLIDE

**Transit Slide Lock:** TSL530/540

**Tie Down Brackets:** TDB560

**Small Basket:** SB40

**Fridge Lead Coiled:** PCOIL

#### REPLACEMENT CORDS

**12/24V DC:** DCCORD

**240V AC:** KCORD

## V 40 Litre Fridge-Freezer

### MT-V45

**Fridge Capacity:** 40 LITRE (60 x 375ml cans)

**Internal Dimensions (mm):** H370 W380 D260

**External Dimensions (mm):** H508 W631 D360

*If handles are fitted width increases by 120mm (60mm each end)*

**Net Weight:** 24 KG

**DC Power Consumption:** Variable from 0.5 – 3.0 AMPS

**Power:** Built-in 240V AC / 12V/24V DC

#### OPTIONAL ACCESSORIES

**Transit Bags:** TBAG45MTV

**Fridge Slide:** 35/45SLIDE

**Transit Slide Lock:** TSL530/540

**Tie Down Brackets:** TDB560

**Small Basket:** SB40

**Fridge Lead Coiled:** PCOIL

#### REPLACEMENT CORDS

**12/24V DC:** DCCORD

**240V AC:** KCORD



**5** ENGELE  
**YEAR**  
**WARRANTY**



## 60 Litre Fridge-Freezer



### MT-V60

Fridge Capacity: 60 LITRE (80 x 375ml cans)

Internal Dimensions (mm): H310 W510 D390

External Dimensions (mm): H441 W790 D490

*If handles are fitted width increases by 120mm (60mm each end)*

Net Weight: 33 KG

DC Power Consumption: Variable from 0.5 – 3.6 AMPS

Power: Built-in 240V AC / 12/24V DC

#### OPTIONAL ACCESSORIES

**Transit Bags:** TBAG60MTV

**Fridge Slide:** 60/80 SLIDE

**Tie Down Brackets:** TDB560

**Small Basket:** SB40

**Divider Kit:** DIVIDERKIT60V

**DC Fridge Lead Coiled:** JCOIL

#### REPLACEMENT CORDS

**12V DC:** JCORD

**240V AC:** KCORD

## 80 Litre Fridge-Freezer



### MT-V80

Fridge Capacity: 80 LITRE (118 x 375ml cans)

Internal Dimensions (mm): H410 W510 D390

External Dimensions (mm): H561 W790 D490

*If handles are fitted width increases by 120mm (60mm each end)*

Net Weight: 39 KG

DC Power Consumption: Variable from 0.5 – 3.6 AMPS

Power: Built-in 240V AC / 12/24V DC

#### OPTIONAL ACCESSORIES

**Transit Bags:** TBAG80MTV

**Fridge Slide:** 60/80 SLIDE

**Tie Down Brackets:** TDB560

**Small Basket:** SB40

**Divider Kit:** DIVIDERKIT80V

**DC Fridge Lead Coiled:** JCOIL

#### REPLACEMENT CORDS

**12V DC:** JCORD

**240V AC:** KCORD



SINCE 1962 — A LEGEND IN RELIABILITY®

# ENGEL

## ELITE



## Elite Series

### Built In Battery Monitor



Four stage battery protection  
**Low 9.6V, Medium 10.2V, High 11v & Off**  
Giving piece of mind and no flat batteries.

### Fridge Lid Alarm



A **warning alarm** is activated if the fridge door is left open.

### Beer Control Icon



Instantly create the perfect temperature for beers and wines – just tap the icon to instantly set the fridge to 3°C

### Precision Temperature Control



The **precision slider** lets you set a precise temperature with ease.

### Upgraded Bluetooth Control




Personalise your Engel by naming it. Lockable so no one else can adjust your settings.



### Touch Panel

The sleek touch panel contains the same features as the Engel App. The panel connects to your phone via Bluetooth.




### USB Port

Each fridge has a USB port which enables you to charge your phone and other devices.


### Engel Fridge App

The Engel APP is free to download and easy to use.



# 5

ENGELELITE  
YEAR  
WARRANTY



## Elite Promotional Items



**EDCUPEL**  
Elite Cup



**EDCAPEL**  
Elite Baseball Cap



**EDBOTTLEEL**  
Elite Water Bottle



## ELITE 40 Litre Fridge-Freezer

### MT45-Elite

Fridge Capacity:	40 LITRE (60 x 375ml cans)
Internal Dimensions (mm):	H370 W380 D260
External Dimensions (mm):	H508 W631 D360
<i>If handles are fitted width increases by 120mm (60mm each end)</i>	
Net Weight:	24 KG
DC Power Consumption:	Variable from 0.5 – 3.0 AMPS
Power:	Built-in 240V AC / 12/24V DC
Output Power:	USB 5V DC, 2.1A

#### OPTIONAL ACCESSORIES

- Transit Bags:** TBAG45EL
- Fridge Slide:** 35/45SLIDE
- Transit Slide Lock:** TSL530/540
- Tie Down Brackets:** TDB560
- Small Basket:** SB40
- DC Fridge Lead Coiled:** PCOIL



#### REPLACEMENT CORDS

- 12/24V DC:** DCCORD
- 240V AC:** KCORD



## ELITE 60 Litre Fridge-Freezer

### MT60-Elite

Fridge Capacity:	60 LITRE (80 x 375ml cans)
Internal Dimensions (mm):	H310 W510 D390
External Dimensions (mm):	H411 W790 D490
<i>If handles are fitted width increases by 120mm (60mm each end)</i>	
Net Weight:	33 KG
DC Power Consumption:	Variable from 0.5 – 3.6 AMPS
Power:	Built-in 240V AC / 12/24V DC
Output Power:	USB 5V DC, 2.1A

#### OPTIONAL ACCESSORIES

- Transit Bags:** TBAG60EL
- Fridge Slide:** 60/80SLIDE
- Tie Down Brackets:** TDB560
- Small Basket:** SB40
- DC Fridge Lead Coiled:** PCOIL



#### REPLACEMENT CORDS

- 12/24V DC:** DCCORD
- 240V AC:** KCORD



## 15 Litre Fridge-Freezer

### MT17

Fridge Capacity:	15 LITRE (21 x 375ml cans)
Internal Dimensions (mm):	H230 W290 D200
External Dimensions (mm):	H360 W548 D306
<i>If handles are fitted width increases by 120mm (60mm each end)</i>	
Net Weight:	17 KG
DC Power Consumption:	Variable from 0.5 – 3.0 AMPS
Power:	Built-in 240V AC / 12/24V DC

#### OPTIONAL ACCESSORIES

Transit Bags: TBAG17G  
Transit Slide Lock: TSL17

#### REPLACEMENT CORDS

12/24V DC: DCCORD  
240V AC: KCORD



## 21 Litre Fridge-Freezer

### MT27

Fridge Capacity:	21 LITRE (29 x 375ml cans)
Internal Dimensions (mm):	H320 W290 D200
External Dimensions (mm):	H462 W538 D306
<i>If handles are fitted width increases by 120mm (60mm each end)</i>	
Net Weight:	17 KG
DC Power Consumption:	Variable from 0.5 – 3.0 AMPS
Power:	Built-in 240V AC / 12/24V DC

#### OPTIONAL ACCESSORIES

Transit Bags: TBAG27G  
Transit Slide Lock: TSL27

#### REPLACEMENT CORDS

12/24V DC: DCCORD  
240V AC: KCORD

**3** ENDEL  
YEAR  
WARRANTY





This unit features the world famous Sawafuji swing motor. Stainless steel drawer runners. Solid cabinet with built-in ventilation and dual fans to assist in air flow. Auto switching between 12 or 24 volt DC. Internal LED light.



## 30 Litre Drawer Fridge

### SB30 Rear Mount

Fridge Capacity:	30 LITRE (35 x 375ml cans)
Internal Dimensions (mm): <i>(Drawer Only mm)</i>	H171 W335 D476
External Dimensions (mm): <i>(Cabinet Only mm)</i>	H250 W440 D560
Compressor Dimensions (mm):	H250 W440 D156
Net Weight:	17 KG
DC Power Consumption:	2.7A @ 12V 1.5A @ 24V
Power:	12V/24V DC



**2** ENCEL  
YEAR  
WARRANTY

**SB30-L**  
Left Mount



**SB30-R**  
Right Mount





## 30 Litre Storage Drawer

### SBSTORE

Capacity:	30 LITRE
Internal Dimensions (mm):	H230 W290 D200
External Dimensions (mm):	H250 W440 D560
Net Weight:	10 KG

#### Storage Drawer Unit (Non-Refrigerated)

The Engel SBSTORE is a heavy-duty storage drawer designed to match the look and dimensions of the popular SB30 fridge drawer. Built for rugged use, it offers a practical and secure storage solution for tools, gear, or supplies in vehicles, camper trailers, or work setups. With the same sleek finish and robust build quality as the SB30, the SBSTORE integrates seamlessly into existing drawer fridge installations or can be used as a standalone storage unit.

#### Key Features:

- Matches the Engel SB30 drawer fridge dimensions and appearance.
- Heavy-duty construction for long-term durability.
- Smooth sliding drawer with strong locking mechanism.
- Carpet lined internal drawer.

Ideal for 4WD, camping, or commercial vehicle setups.



#### Supplied Brackets:



## 38 Litre Engel Eclipse



The Engel Eclipse is perfect for weekends away and general use for those who don't require the legendary strong steel Engel casing.

The Eclipse is built with quality Engel components including the famous Sawatuji swing motor to ensure ongoing reliability and the light-weight body means the Eclipse is even easier to carry with you as you go. The Eclipse also fits the genuine Engel accessories and the Eclipse Transit Bag.

### MR40

Fridge Capacity: 38 LITRE (50 x 375ml cans)

Internal Dimensions (mm): H360 W386 D266

External Dimensions (mm): H483 W636 D366

*If handles are fitted width increases by 132mm (66mm each end)*

Net Weight: 22 KG

DC Power Consumption: Variable from 0.5 – 2.75 AMPS

Power: Built-in 240V AC / 12/24V DC

**3** ENDEL  
YEAR  
WARRANTY



#### OPTIONAL ACCESSORIES

Transit Bags: TBAGMR40BL  
Fridge Slide: 35/45SLIDE  
Transit Slide Lock: TSL530/540  
*\*Requires Kit Transit Slide Lock*  
Adaptor Kit: TSLECLKIT  
Small Basket: SB40  
DC Fridge Lead Coiled: JCOIL

#### REPLACEMENT CORDS

**12V DC:** JCORD  
**240V AC:** KCORD



## Upright Fridges



Five upright Engel refrigerators with the versatility to use in boats, caravans, 4WDs, motor homes, camper vans, camper trailers, trucks and all types of mobile accommodation. These models also use the energy efficient Sawafuji Swing Motor.

Compact, built-in fridges with an area for frozen goods. Maximisation of storage capacity allows you to separate beverages and perishables easily. Unique 12/24VDC to 240VAC conversion automatically selects mains power when connected.

**3**  
YEAR  
WARRANTY

## 40 Litre Fridge-Freezer



### SR48

Fridge Capacity:	40 LITRE
Internal Dimensions (mm):	H531 W423 D510
Required Installation Space (mm):	H518 W385 D447
Net Weight:	19 KG
DC Power Consumption:	Variable from 0.5 – 2.5 AMPS
Power:	Built in 240V AC / 12V/24V DC

## 57 Litre Fridge-Freezer



### SR70

Fridge Capacity:	57 LITRE
Internal Dimensions (mm):	H530 W506 D586
Required Installation Space (mm):	H518 W467 D526
Net Weight:	21 KG
DC Power Consumption:	Variable from 0.5 – 2.5 AMPS
Power:	Built in 240V AC / 12V/24V DC



## 95 Litre Upright Fridge



Engel's 95 Litre all fridge & all freezer side by side models have mounting kit available for built-in installations. (100KIT)

### STR100

Fridge Capacity:	95 LITRE
External Dimensions (mm):	H786 W531 D578
Required Installation Space (mm):	H786 W531 D510
Net Weight:	31 KG
DC Power Consumption:	Variable from 0.5 – 3.3 AMPS
Power:	Built in 240V AC / 12/24V DC



## 95 Litre Upright Freezer



### STF100

Fridge Capacity:	95 LITRE
External Dimensions (mm):	H786 W531 D583
Required Installation Space (mm):	H786 W531 D516
Net Weight:	35 KG
DC Power Consumption:	Variable from 0.5 – 3.3 AMPS
Power:	Built in 240V AC / 12/24V DC

## 80 Litre Upright Fridge-Freezer



**3** ENCEL  
YEAR  
WARRANTY



### ST90

Total Capacity:	80L (Fridge Capacity 70L   Freezer 10L)
External Dimensions (mm):	H786 W531 D579
<i>If handles are fitted width increases by 120mm (60mm each end)</i>	
Required Installation Space (mm):	H786 W531 D510
Net Weight:	28 KG
DC Power Consumption:	Variable from 0.5 – 2.6 AMPS
Power:	Built in 240V AC / 12/24V DC



### 100KIT

Frame Kit to suit ST90 / STR100 / STF100.  
This frame connects to your free standing refrigerator and allows you to install inside the cabinetry like a built in unit.





# ENGEL

# 60+ YEARS



**1962**

The first Engel fridge is released in Australia – the MRFT 514.



**1974 – 1999**

The Iconic MRFT Series was available in 15, 29 and 39 litres.



**1979**

The Introduction of the first 60 litre model.



**2000**

The 29 litre increased to 32 litres to accommodate taller bottles and the 39 litre increased to 40 litres.



**2002**

The 40th Anniversary of Engel saw a commemorative silver model released with the first Digital Temperature indicator.



**2003**

The First Engel Combi Series Fridge/Freezer hits the Australian Market.



**2008**

MR40F Eclipse. Engel's entry-level fridge with a polypropylene case.



In 1962 the first Engel fridge is released in Australia with the patented Sawafuji swing motor with only one moving part, specially designed for off road use. Since 1962 the fridge would go through minimal changes – colours and case shape, a change to digital controls, and the introduction of different size options. But one thing has remained constant – the Sawafuji swing motor.

**“That Sawafuji swing motor can work at all sorts of crazy angles. And when I’m feeding a whole film crew, that reliability really matters.”**

PAT CALLINAN A.K.A ‘MR 4X4’

# Enhancing People's Lifestyle



**2012**

The 50th Anniversary of Engel saw a limited edition Gold model released with the first digital thermostat control with battery cut out.



**2013**

2013 saw the introduction of the Platinum Series fridge with the digital thermostat control and battery cut off in all fridges from the MT35 and up.



**2015**

The limited edition Legacy Fridges were released in support of the great work Legacy Australia does.



**2019**

Limited edition Retro fridges released as a nod to the former MRFT colour scheme released in 40L & 60L.



**2019**

This model introduced a 5 year cooling unit warranty, large lockable door latch, and improved handles and corner protectors.



**2022**

The 60th Anniversary Limited Edition was Engel's most advanced portable fridge and became an instant Australian icon.



**2024**

The Elite Series Fridge/Freezer sees the return of the Bluetooth Control and USB outlet in a distinct finish in the 40L & 60L sizes.



**2025**

The Engel COMBI MT-V60C & COMBI MT-V80C sees separate doors that are reversible for the fridge & freezer sections along with some new features.





## Smart Battery Box Series 3

The BattboxS2 just got an upgrade — meet the **NEW BattboxS3**

The Engel Smart Battery Box S3 is a portable power hub designed for off-grid adventures, mobile work, and emergency use. Compatible with sealed car or marine batteries (up to 130Ah), it features a 300W pure sine wave inverter for safe, clean power—perfect for sensitive devices like laptops, medical equipment, and camera gear.

Its standout feature, the Time Tracker Screen, gives real-time updates on battery capacity, charge status, and run time. Multiple input and output ports—including USB, 12V sockets, Anderson plugs, and external terminals—make it easy to power or charge devices on the go. With support for AC, DC, and solar charging, plus a built-in Battery Management System, the BattboxS3 delivers flexible, safe, and dependable power—anywhere, anytime.



### BATTBOXS3

Battery Compatibility:	LifePO4, Calcium, AGM Sealed / Maintenance Free Lead Acid
Inverter Type:	<b>NEW</b> – 300W Pure Sine Wave
Internal Dimensions (mm):	H238 W180 D330
External Dimensions (mm):	H327 W240 D440
Net Weight:	4.62KG

#### The Smart Battery Box S3 Features

- Built-in 7 stage 7 amp smart charger that conditions and prolongs the life of your battery.
- Fuse protected 10 amp, 12V DC accessory socket.
- Powers and recharges your essential 12V devices.
- Keyed battery isolator: for maximum safety and security.
- 50 amp high current external terminals: 2 x high current 12V terminals.
- Tough, weather resistant case: protects your battery from dirt, dust and moisture.
- Mounting brackets: for securing and also quick release.
- DC - DC car charging capabilities.
- 300 watt Pure Sine Wave Inverter.
- 5 volt USB 2.1 amp socket.
- 1 x 12 volt accessory sockets
- 1 x 12 volt Engel Posifit socket.
- External battery terminals.
- maximum safety and security.
- Low voltage cut-out.
- Manual isolator switch.
- Time tracker technology.
- Battery management system.
- 7 Stage smart charge.
- Up to 130 amp hour battery size
- 12 months warranty.

#### Smart Battery Box S3 can be charged via:

- 12/24V vehicle/truck DC.
- Solar panels.
- Anderson socket (requires DC-DC charger).
- 240v

Please note: BBTSLKIT and TSL27 need to be purchased together.



**BBACS2**



**BBDCS2**



**BBAL**



**BBTSLKIT**



**TSL27**



**BBTSLKIT + TSL27  
assembled**



## Engel Generators

With cheap knock-offs coming a dime a dozen, it's often hard to know what you're gonna get when you buy anything with a motor these days, but Engel has never played that game. When they launched their 2500W gennie a few years back, I had no doubt it would be a tough unit. What I was surprised about was just how easy to live with it was. Sips fuel like a teetotaller, is super quiet and dead easy to drag around home and camp. The extendable handle and solid wheels make sure of that. The 2500W capacity is perfect too. Big enough to run aircon in your van, but compact enough to lift into your van without doing your back in. It's come in handy on more than one occasion back home too, to power household appliances when the grid goes down (which seems to be happening more and more these days!)

Pat Callinan — Mr 4x4

# Engel Generators



## ⚡ R2000iS

### Product Features

- Overload Protection
- Auto Throttle (ESC)
- Recoil Start
- Parallel Connections (Sold Separately)
- DC Outlet USB



Generator Service Kit Available  
**EGSK2000**



Dimensions (mm)	H498 W312 D467
Net Weight:	22KG
Rated Output	1.8KW (1,800W)
Max Output	1.9KW (1,900W)
Inverter Type	Pure Sine Wave
AC Outlet	15A
USB	2 x USB
Fuel Type	Unleaded
Fuel Capacity	4.8 Litres
Noise dBA	68dB @ 7metres
Run Time	Half Load Continuous - 6hrs

## ⚡ R2500iS

### Product Features

- Overload Protection
- Auto Throttle (ESC)
- Recoil Start
- Parallel Connections (Sold Separately)
- Convenient carry handles & wheels



Generator Service Kit Available  
**EGSK2500**



Dimensions (mm)	H460 W320 D520
Net Weight:	23.5KG
Rated Output	2.3kW (2,300W)
Max Output	2.5kW (2,500W)
Inverter Type	Pure Sine Wave
AC Outlet	15A
DC Outlet USB	2 X USB
Fuel Type	Unleaded
Fuel Capacity	4.5 Litres
Noise dBA	67dB @ 7 metres
Run Time	Half Load Continuous - 5hrs

## ⚡ R3000iE

### Product Features

- Recoil & Electric Start
- Overload Protection
- Auto Throttle (ESC)
- Parallel Connections (Sold Separately)
- Convenient carry handles & wheels



Generator Service Kit Available  
**EGSK3000**



Dimensions (mm)	H590 W478 D511
Net Weight:	44.5KG
Rated Output	3.2kW (3,200W)
Max Output	3.5kW (3,500W)
Inverter Type	Pure Sine Wave
AC Outlet	2 X 15A
DC Outlet	12V DC 8.3A
Fuel Type	Unleaded
Fuel Capacity	8.3 Litres
Noise dBA	66dB @ 7 metres
Run Time	Half Load Continuous - 8.5hrs

**“Whether you’re exploring the vast Australian outback, embarking on a cross-country journey or when disaster strikes the right generator can make all the difference. Engel generators are the key to unlocking a world of possibilities.”**

Pat Callinan — Mr 4x4



## R5500iE

Dimensions (mm)	H605 W514 D517
Net Weight:	60KG
Rated Output	5.0kW (5,000W)
Max Output	5.5kW (5,500W)
Inverter Type	Pure Sine Wave
AC Outlet	3 x 15A
DC Outlet	12V DC 8.3A
Fuel Type	Unleaded
Fuel Capacity	16 Litres
Noise dBA	67dBA @ 7 metres
Run Time	Half Load Continuous - 12hrs

### Product Features

- Overload Protection
- Auto Throttle (ESC)
- Parallel Connections (Sold Separately)
- Recoil & Electric Start
- Convenient carry handles & wheels



Generator Service  
Kit Available  
EGSK5500



## Soft Cooler Bags



Available in: Seafoam, Red and Orange

### HD20

Capacity: 20 LITRE

External Dimensions (cm): H48 W26 D38

Internal Dimensions (cm): H38 W21.5 D25.4

Net Weight: 1.6KG

#### Features:

- Holds ice up to 3-4 days\*.
- Outer shell composed of durable 840 denier fibres, an outer wall constructed with Thermal Plastic Urethane (TPU).
- Closed foam insulation.
- Features adjustable ergonomic shoulder strap, bottle opener, water-resistant front pocket.



Available in: Orange, Red and Seafoam

### HD30

Capacity: 30 LITRE

External Dimensions (cm): H50 W25 D40

Internal Dimensions (cm): H45 W20 D33

Net Weight: 2.3KG



Available in: Orange, Red and Seafoam

### BP25

Capacity: 23 LITRE

External Dimensions (cm): H50.8 W22.8 D35.6

Internal Dimensions (cm): H45.7 W17.7 D30.4

Net Weight: 1.55KG

#### Features:

- 23L cooler – holds ice for up to three days\*.
- Outer shell composed of durable 840 denier fibres.
- Closed foam insulation.
- 3 convenient methods of carrying.

\* Note: ice retention is dependant on ice quality and ambient temperature.



# Engel Dry Box Coolers

## EDC19

Capacity: 18 LITRE

Internal Dimensions (mm): H328 W282 D415

Net Weight: 3KG

### Colours Available:

Silver, White, Black, Pink, Ice Mango, Sea Foam, Blue, Grasslands, Tan, Coral & **New** Elemental Blue

**Sometimes, you need to keep things dry, cold, hot, or all three. Engel lightweight, airtight insulated cooler boxes are perfect companions on any adventure.**

If some ice does melt, and they tip over in your car – no problem. There will be no mess to clean up like normal coolers, as the airtight gasket keeps hot air out and the cold air in. They are waterproof up to a depth of 1 metre.





# Rotomoulded Ice Boxes

Engel, the original high-performance cooler, is moulded for toughness and durability. It's filled with a full 50 millimetres of insulation in the lid, on the sides, and on the bottom, helping to retain cold and ice for up to 8 days. The all silicone gaskets create a near airtight seal that is durable and will never lose its shape.

Reinforced lid – strong enough to sit on!

Durable seamless rotomoulded construction – for extreme durability for boating, camping and fishing.

Draw-down latches – latches fit flush and out of the way. Keeps the lid sealed tight so the cold stays in.



Available in 8 different sizes: 33, 45, 55, 70, 102, 158, 228 and 302 litres.

<b>ENG35</b>	H: 380	L: 630	W: 380	10.4kg	○ ○ ●
<b>ENG50</b>	H: 460	L: 600	W: 460	10.9kg	○ ●
<b>ENG65</b>	H: 410	L: 730	W: 410	11.8kg	○ ○
<b>ENG80</b>	H: 440	L: 810	W: 410	15.0kg	○ ●
<b>ENG123</b>	H: 450	L: 1040	W: 450	19.0kg	○
<b>ENG165</b>	H: 570	L: 1200	W: 480	25.0kg	○
<b>ENG240</b>	H: 550	L: 1300	W: 560	30.0kg	○
<b>ENG320</b>	H: 570	L: 1550	W: 570	41.0kg	○



Silicone lid gasket



Multiple security options



Emergency bottle opener



Robust adjustable compression latches



Ergonomic handles  
(sturdy rope ensures your knuckles clear the ice box lid)



Up to 8 days ice retention  
(ice retention is dependant on ice quality and ambient temperature)



Dry ice compatible



Extra large drain plug makes it easy to empty



Robust tie down points



## Accessories



None of us want our food mixing with the fish & bait, so this is where the Engel internal cabinet dividers are a must. Manufactured in the USA from the highest grade KING STARBOARD MATERIAL the cabinet dividers also double as a cutting board to fillet the days catch. Just give it a good wash (dishwasher safe) after use & return it to the icebox.



Plastic coated wire basket for Engel Coolers. Keeps food and other dry goods off the ice. 6 sizes available.





## Live Bait Drybox/Cooler

### LBC30-RH

Capacity:	28 LITRE
Internal Dimensions (mm):	H368 W483 D318
External Dimensions (mm):	H483 W636 D366
<i>If rod holders are fitted width increases by 120mm (60mm each end)</i>	
Net Weight:	3.7 KG

How could we improve upon a wildly popular industry-standard live bait cooler? First, we replaced the standard hang tray with an all-new pull net. This new feature makes fetching your bait and changing the water a breeze.

Second, we moved the air tube port from the edge of the sidewall up into the lid. This should allow you to fill/use more of the box capacity, while also cutting down on the small overflow splashes that result from allowing the cooler to vent around the air tube. Our powerful Gen2 2-speed 2X2 Air Pump keeps the water fully aerated, while the insulated cooler shields expensive bait from the elements. Plug into your car or boat's cigarette lighter using a 12V adapter to run the pump overnight and keep bait fresh for the next morning.

#### Features:

- Quality Injection Molded (PP Copolymer) insulated with High-Grade molded Polystyrene Foam
- Airtight EVA Gasket Seal
- Recessed Ergonomic Carry Handles (ABS) & Integrated Shoulder Strap (PP) and Self-Stopping Hinge (ABS)
- All Fittings Secured with Stainless Steel Screws
- Stain and Odour Resistant.
- Non-Absorbent Surface Easy to Clean
- 2-Speed Pump Maximizes Aeration and Battery Life
- Water-Resistant Housing Protects Motor and Suppresses Noise
- Flexible Silicone Hose and Weighted Air Stone for Lively Bubbling Action
- Includes all NEW pullout net
- Warranty: 12 Months / 30 Day Pump

Rod Holders  
Included!



Fishing Rod Holders



Pull Out Netting



Aeration Pump



# Engel Ultralite

## ENG60ULG

Capacity: 56 LITRE

External Dimensions (mm): H432 W750 D458

Discover the Engel 60ULG Ultralite: a revolutionary high-performance, 56 litre cooler. Designed for camping, fishing, hunting, and road trips, it features advanced injection moulding for unmatched durability and crack resistance.

Its leak-resistant drain and non-slip base enhance functionality, while the included wire basket and divider optimise organisation. The 60ULG excels in ice preservation for up to 7 days\*, thanks to its ultra-light, closed-cell foam insulation. This hard-shell cooler is lightweight yet robust, equipped with a drain plug, built-in bottle opener, and tie-down slots for easy transport and use. Engel redefines outdoor cooling solutions with the 60ULG's innovative design and practical features.

*\*Note: ice retention is dependant on ice quality and ambient temperature.*



### Features:

- 7 days of ice preservation with 2 inches of advanced, ultra-light, closed-cell foam insulation.
- The hard shell cooler is remarkably lightweight, ensuring easy carrying while offering superior durability to prevent cracking and leaking.
- Includes removable wire basket for easy cleaning, cooler divider to separate food or drinks, drain plug for quick and easy water drainage, built-in bottle opener, and tie-down slots for securing cooler to a boat or paddleboard.
- Level floor with precision tapered drainage channels (patent pending).

## E Accessories

### Transit Bags

The Genuine Engel Transit Bag is a heavy duty insulated cover that protects your investment from bumps and scratches maintaining its resale value. It helps the fridge/freezer perform in hot weather and also increases the 'cold hold down' time overnight. Genuine Engel Transit Bags incorporate storage pockets for your cords and other accessories.



There are four types of transit bag available – see above.  
The full range of models is shown below:

TRANSIT BAG	SUITABLE FOR
<b>TBAG17G</b>	Suits MT/MD17
<b>TBAG27G</b>	Suits MT/MD27
<b>TBAGMR40BL</b>	Suits MR/MD40
<b>TBAG45EL</b>	Suits MT45-ELITE + MT45SY
<b>TBAG60EL</b>	Suits MT60-ELITE
<b>TBAG35MTV</b>	Suits MT-V35
<b>TBAG45MTV</b>	Suits MT-V45 + COMBI MT-V45C
<b>TBAG60MTV</b>	Suits MT-V60 + COMBI MT-V60FC
<b>TBAG80MTV</b>	Suits MT-V80 + COMBI MT-V80FC

## E Transit Slide Lock



Model	Suitable For	Dimensions
<b>TSL17</b>	Suits MT/MD17 F/J	H30 W465 D305
<b>TSL27</b>	Suits MT/MD27 F/J & BATTBOXS2 (requires BBTSLKIT)	H30 W465 D305
<b>TSL530/540</b>	Suits almost all Engel fridges from 29L through to 40L. Including the latest MT-V Series and the 40L Elite	H30 W575 D350
<b>TSLCKKIT</b>	Suits MD/MR40 (requires TSL530/540)	H30 W575 D350

## E Fridge Slides



### 35/45SLIDE

Overall Dimensions (mm):	H77 L730 W475
Extension Distance (mm):	520
Tray Dimensions (mm):	L654 W360
Max Usable Width (mm):	385
Net Weight:	12.5 KG

Suits 29 through to 40 Litre Engel



### 60/80SLIDE

Overall Dimensions (mm):	H77 L900 D610
Extension Distance (mm):	690
Tray Dimensions (mm):	L815 W490
Max Usable Width (mm):	515
Net Weight:	16.5 KG

Suits 57 through to 80 Litre Engel

## Spare Parts

Engel Turnbuckle Kits are a great way to secure your fridge to existing vehicle tie down points or your Genuine Engel Slide.



**35/45KIT**

**60/80KIT**

**TDB560**

## E Accessories



### Engel Wireless Thermometer

Engel's wireless thermometer has all the features you need to keep an eye on your fridge or freezer temperatures. The Engel Wireless Thermometer features a large LCD display, inside and outside temperatures, and a low battery indicator.



### Dual Wireless Thermometer

Engel's Dual Wireless Thermometer has all the features you need to keep an eye on your fridge & your freezer temperatures on the same device, ensuring your food stays fresh or frozen. The ALL NEW Engel Wireless Thermometer has a line of sight rating of 30 metres.

Features a large, easy to read LCD display. Inside and outside temperatures, and a low battery indicator in a sleek stylish design.



### Basket Divider Kit

The Basket Divider is a genuine Engel Accessory – it helps keep food stable and safe, it's easy to install and perfect for quick getaways.

#### Benefits

- Keeps food safe and secure
- Creates efficient space
- Easy to assemble
- Perfect for quick getaways!

#### Contents

- Sturdy basket divider
- Steel frame and vinyl coating
- Two fixing brackets



AVAILABLE FOR  
MT35 / MT45 / MT60 / MT80  
(requires V series basket)

## E Engel Promotional Items



**EDCAPV + EDCAPSP**  
Trucker style cap



**ENGEL STRAW HAT**  
Black & seafoam/pink  
Wide brim and protective lining



**ENGT22 + ENGT22BL**  
650ml stainless steel  
vacuum-insulated performance mug



**EDTOWEL (BLACK)**  
Engel Beach Towel



**EDSHOLDSP + EDSHOLDV**  
Engel Stubby Holder



**EDBAG (BLACK)**  
Engel Cooler Bag



### LOCK & LOCK — DISCOVERY PACK 2

7 piece set includes 1 x 4.5 lt, 1 lt, 1 x 800ml, 2 x 470 ml rectangular containers as well as the popular egg carton and a 2 litre water jug. Lock & lock containers are respected worldwide. Quality when it counts.

### NEW – Elite Series Options



**EDCAPEL**  
Elite Baseball Cap




**EDCUPEL**  
Elite Cup



**EDBOTTLEEL**  
Elite Water Bottle



# Genuine Power Leads



### 12VFUSE

12 Volt DC Thermal Fuse (A-J Series).

### DPLUG

Type D - 12 Volt DC Cigar Plug. (A-F Series).

### GCORD

12 Volt DC Cord (C - F Series) No DPLUG.

### JCORD

12 Volt DC Cord (C - F Series) fitted with the DPLUG & Unique 12 Volt Thermal Fuse.

### KCORD

Type K - 240 Volt Cord (C - J Series).



### JCOIL

Ideal when your Engel is mounted on a Fridge Slide. 12 Volt DC Cord (C-F Series).

### CCORD

12 Volt DC Cord (A + B Series) fitted with the DPLUG & Unique 12 Volt Thermal Fuse.

### ASPAN/APAN

'Posi-fit' plug connection. Available with either 30cm cord or 4 metre cord.

### Extension Cords

ECORD 12 Volt DC Ext Cord (1m)  
FCORD 12 Volt DC Ext Cord (2m).

### EDAC240VUNI

Converts 240VAC to 12VDC. Output 13.5VDC. Constant load 6.66 Amp.



### BBAL

Engel Smart Battery Box Anderson to Anderson Lead (1.5m).

### DCCORD

12 Volt DC Cord with DPLUG (J Series).

### PCORD

12 Volt DC Cord (J Series) No DPLUG.

### BBACS2

AC Charge Lead suit Engel Battery Box S2 & S3.

### BBDCS2

DC Charge Lead suit Engel Battery Box S2 & S3.




# Genuine Parts



### TEMPERATURE CONTROL KNOBS

Replacement Temperature Dial Knobs.



### REPLACEMENT HINGES

Replacement Hinges are available for all MT/MTV Series Fridges.



### REPLACEMENT LATCHES

Replacement latches available for all models.



### 60CFD

Freezer lid MT60/80 Combi.



### 45CD

Combi Divider for 39L Combi Engel.



### HANDLE KITS

Handle Kits available for all models (excluding some models pre 1980).




### REPLACEMENT DOOR

Door Assembly for Upright Fridge/Freezers.



### DOOR GASKETS

Various seals to suit the F series.



### DOOR POCKETS

Replacement Door Pockets available for Engel Upright Fridge/Freezers.



### REPLACEMENT LIDS

Replacement lids for F series Engel Fridge/Freezers.



### STORAGE SHELVES

Replacement Storage Shelves available for Engel Upright Fridge/Freezers.



### INTERNAL MATS

Replacement mats available for all models\* (MT series models only).




### FOOD BASKETS

Replacement food baskets available for F Series fridges and on.



### SB40

Universal Small Basket to suit most models.



### Cushion Foot Kits

Available for F Series fridges and on.



# ENGEL



**We love hearing stories of your adventures  
with your Engel Fridge/Freezers.  
Share them with us on Social Media**



**[/engelaustralia](#)**

To see the recommended retail prices of the entire Engel range visit  
**[www.engelaustralia.com.au](http://www.engelaustralia.com.au)**



contact details for consumers only  
telephone 1300 302 653  
email: [info@engelaustralia.com.au](mailto:info@engelaustralia.com.au)